



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/711,501

09/22/2004

Glenn G. Daves

FIS920040002US1

5500

29505 7590 04/06/2007
LAW OFFICE OF DELIO & PETERSON, LLC.
121 WHITNEY AVENUE
NEW HAVEN, CT 06510

EXAMINER

ABOAGYE, MICHAEL

ART UNIT

PAPER NUMBER

1725

SHORTENED STATUTORY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE
--	-----------	---------------

3 MONTHS

04/06/2007

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

8

Office Action Summary	Application No. 10/711,501	Applicant(s) DAVES ET AL.	
	Examiner Michael Aboagye	Art Unit 1725	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 04 January 2007.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-10 and 13-22 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-10 and 13-22 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 26 January 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

3. Claims 1-5, 7-10, 13, 14, 19 and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Jackson et al. (US Patent No. 6,333,563) in view of Peterson (US Patent No. 5,011,870).

Jackson et al. teaches method and an assembling an electronic module comprising: attaching a chip ("10", figure 4) to a substrate ("20", figure 4) using a first solder interconnection array "12", figure 4); attaching a board ("40", figure 4) to said

Art Unit: 1725

substrate using a second solder interconnection array ("32", figure 4) such that a space is defined between said board and said substrate, said second solder interconnection array residing entirely within said space (Jackson et al., figure 4); and providing a creep resistant structure or an underfill material within a space between the substrate and the chip, said creep resistant structure being in direct contact with at least said chip and said (Jackson et al., column 4, lines 41-58); wherein said creep resistant structure comprising at least one mechanical support structure selected from the group consisting of a bracket, a frame and a collar (note, the examiner interprets the solid copper ball or column recited in column 4, lines 40-50 as being a mechanical support); a single melt (Jackson et al., column 3, lines 8-10) and dual melt (Jackson et al., column 3, lines 24-27) solder interconnect array, prior to the deposition of the underfill material cleaning the substrate and the circuit board.

Jackson also teaches a solder ball interconnect having a diameter of about 127-636 microns (0.005-0.025 inches) or a solder column of about 508 microns (i.e. 0.02 inches) (see, column 3, lines 1-5 and column 4, line 64-column 5, line 5). From these dimensions the examiner to implies could infer that the gap height residing between the board and the substrate falls within the range of about 300 micron to about 900 microns in order to accommodate said solder ball and solder column)

Jackson et al. does not expressly teach providing an underfill material in the space between the circuit board and the substrate.

However Peterson discloses and underfill or an encapsulant material used in the process of mounting a solid state electronic device to a circuit board to improve the

Art Unit: 1725

thermal conductive between the components of the assembly; wherein said underfill material is composed of an organic binder and a filler material having particle size ranging from 20-100 microns and said filler constituting about 40-85 percent of the total weight of the underfill, wherein the a higher thermal conductivity is achieve and thereby avoiding the problems associated with CTE mismatch (Peterson, column 1, lines 13-30, column 2, line 42- column 3, lines 25, column 3, lines 35-40, and column 4, lines 1-34).

It would have been obvious to one of ordinary skill in the art at the time the applicant's invention was made to have modified the method of Jackson et al. depositing a filler material between the substrate and the board, with a filler material composition as taught by Peterson in order to achieve a higher thermal conductivity is achieve and thereby avoiding the problems associated with CTE mismatch (Peterson, column 1, lines 13-30, column 2, line 42- column 3, lines 25, column 3, lines 35-40, and column 4, lines 1-34).

4. Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Jackson et al. (US Patent No. 6,333,563) in view of Peterson (US Patent No. 5,011,870) as applied to claim 5 above and further in view of Cui (US Patent No. 6,274,650).

Jackson et al. and Peterson do not expressly teach cleaning the board prior to applying the underfill.

However Cui teaches a process of packaging an integrated circuit and applying a underfill between the gap between the interconnect; wherein the board was cleaned to

Art Unit: 1725

remove flux residue prior to dispensing the underfill to enhance wetting and adhesion (Cui, abstract, column1, lines 1-45 and column 7, lines 55-67).

It would have been obvious to one of ordinary skill in the art at the time the applicant's invention was made to clean the board prior to dispensing the underfill in the process of Jackson et al. as modified by Peterson in view of the teachings of Cui in order to enhance wetting and adhesion (Cui, abstract and column 7, lines 55-67).

5. Claims 14-18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Jackson et al. (US Patent No. 6,333,563) in view of Peterson (US Patent No. 5,011,870) as applied to claim 5 above and further in view of Kumamoto et al. (US Patent No. 6,632,704).

Neither Jackson et al. or Peterson expressly teach the properties of the underfill material including density, particles size viscosity dynamic tensile modulus as set forth in claims 14-18.

However, Kumamoto et al., discloses the properties of a desirable epoxy underfill material applied in a surface-mount processing of an electronic devices for the purpose of relieving significant portions of thermal loads induced by coefficient of thermal expansion differences between a chip and a substrate (column 1, line 55- column 2, line 1). Kumamoto et al. teaches an underfill material in its uncured state comprises a polymeric material having a filler material present in an amount ranging from about 80% by weight per solution said filler material having a particle size ranging from about 4μ - 12μ wherein said underfill material in its uncured state has a density of about 1.8 g/cc, a

Art Unit: 1725

viscosity at 25.degree. C. greater than about 10,000 cP; wherein said underfill material in its cured state has a glass transition temperature ranging from about 145.degree. C; wherein said substrate comprises a ceramic substrate, said cured underfill material has a CTE below Tg of about 14 ppm/degree. C and a CTE above the Tg of about 56 ppm/.degree C (Kumamoto et al. tables 1).

With respect to the tensile strength and the thixotropic index range, though not mentioned by Kumamoto et al., however, the numbers in table 1 of Kumamoto et al., closely match the corresponding numbers describing the properties of the underfill material as set forth in claims 14-18. it is noted that the tensile strength and the thixotropic index range should be about the same considering the fact that said properties are intrinsic.

It would have been obvious to one of ordinary skill in the art at the time the applicant's invention was made to have used the characteristic underfill material of Kumamoto et al. in the method and assembly of Jackson et al. as modified by Peterson in order to increase the reliability and the fatigue resistance of the chip substrate interconnection (Kumamoto et al., column 1, lines 59-64).

6. Claims 21 and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Jackson et al. (US Patent No. 6,333,563) in view of Peterson (US Patent No. 5,011,870) as applied to claim 1 and 19 and further in view of Morganelli et al. (US Patent No. 7,047,633).

Jackson et al. and Peterson do not expressly disclose providing a partial underfill material in the interconnection.

However, Morganelli et al., teaches an electronic an a method of forming said package having a solder interconnect and applying underfill to a partial fraction of the height of the solder bump in the space or gap between the interconnect, thereby allowing a space for volatile compounds to escape from the package during a reflow process (Morganelli et al., column1, lines 10-30, and column 8, lines 15-20).

It would have been obvious to one of ordinary skill in the art at the time the applicant's invention was made to use partial underfill in the process of forming the electronic package of Jackson et al. as modified by Peterson in view of the teachings of Morganelli et al. thereby allowing a space for volatile compounds to escape from the package during a reflow process (Morganelli et al., column1, lines 10-30, and column 8, lines 15-20).

Response to Arguments

7. The examiner acknowledges the applicants' amendment received by USPTO on January 04, 2007. Claims 11 and 12 are cancelled, new claims 21 and 22 have been added, and therefore claims 1-10 and 13-22 are currently under consideration in the application.

8. Applicant's arguments with respect to claims 1-10 and 13-20 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

9. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael Aboagye whose telephone number is 571-272-8165. The examiner can normally be reached on Mon - Fri 8:30am - 5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Patrick Ryan can be reached on 571-272-1292. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1725

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



JONATHAN JOHNSON
PRIMARY EXAMINER

~~AM~~
AM



Michael Aboagye
Assistant Examiner
Art unit 1725

04/01/2007